



PVC 4' Tall 2" Spaced 3" Picket Spade

Franklin





PVC 4' Tall 50/50 1.5" Spaced 1 3/8" Picket

Henry



STRATFORD





Fence Elevation

NOTE:


- FENCE MUST BE VINYL
- VINYL COLOR: Must match the lighter color of trim or siding
- FENCE STYLE IS A PLYGEM PRODUCT (STRATFORD)


- CUSTOM BUILT ON THE JOBSITE
- •INSTALLED WITH METAL BRACKETS THAT ATTACH TO POST AND SCREW INTO STRINGERS



PVC 5' Tall 3 Rail 2" Spaced 3" Picket


John Adams





PVC 5' Tall 3 Rail 1.5" Spaced 1-3/8" Picket

Samuel Adams



PVC Marshall 5' Tall 3 rail 1.5" Spaced 1-3/8" Picket w/ diagonal lattice on top - 98" (POST CENTERS) 2" x 3-1/2" x 95-3/4" 5"x5" New England Cap 3-1/2" 15-1/2" 3-1/2" 1-3/8" x 1-3/8" x 45-3/4" 65-1/2" 48" 3-1/2" 1 0"-2" Grade 2.925" End Spacing 1.55" Picket Spacing 6"-8" 5"x5" Aluminum Bottom Rail Insert POST: inside channel of bottom Rail 2" Galvanized 5" x 5" x 73-1/2" Routed Post to prevent sag over time. 5" x 5" Post Cap Round Steel Schedule 40 RAIL: 48" Post Depth 5"x5" Metal Bracket 2" x 3-1/2" x 95-3/4" Commercial Underground Top, Middle & Bottom Grade Posts Metal Bottom Rail Insert 2" Galv. Post Pneumatically PICKET: Driven. Rails rest on top of Metal Bracket 31 - 1-3/8" x 1-3/8" x 45-3/4" Diagonal Lattice 12" x 92-3/4" Custom Package LEADING EDGE FENCES, LLC